

Publication list

Aapo Hyvärinen

11th January 2012

Books

1. A. Hyvärinen, J. Karhunen, and E. Oja. *Independent Component Analysis*. Wiley Interscience, 2001. 481 pages. Japanese translation by Tokyo Denki University Press, 2005. Chinese translation by Electronic Industry Press, Beijing, 2007.
2. A. Hyvärinen, J. Hurri, and P. O. Hoyer. *Natural Image Statistics*. Springer-Verlag, 2009. 448 pages.

Refereed articles in international journals

3. A. Hyvärinen and E. Oja. Simple neuron models for independent component analysis. *Int. J. of Neural Systems*, 7(6):671–687, 1996.
4. A. Hyvärinen and E. Oja. A fast fixed-point algorithm for independent component analysis. *Neural Computation*, 9(7):1483–1492, 1997. Reprinted in *Unsupervised Learning*, G. Hinton and T. J. Sejnowski, eds., MIT Press, 1999.
5. A. Hyvärinen and E. Oja. Independent component analysis by general nonlinear Hebbian-like learning rules. *Signal Processing*, 64(3):301–313, 1998.
6. A. Hyvärinen. Independent component analysis in the presence of gaussian noise by maximizing joint likelihood. *Neurocomputing*, 22:49–67, 1998.
7. A. Hyvärinen. Fast and robust fixed-point algorithms for independent component analysis. *IEEE Transactions on Neural Networks*, 10(3):626–634, 1999.

8. A. Hyvärinen. Sparse code shrinkage: Denoising of nongaussian data by maximum likelihood estimation. *Neural Computation*, 11(7):1739–1768, 1999.
9. A. Hyvärinen. The fixed-point algorithm and maximum likelihood estimation for independent component analysis. *Neural Processing Letters*, 10(1):1–5, 1999.
10. A. Hyvärinen. Survey on independent component analysis. *Neural Computing Surveys*, 2:94–128, 1999.
11. A. Hyvärinen. Gaussian moments for noisy independent component analysis. *IEEE Signal Processing Letters*, 6(6):145–147, 1999.
12. A. Hyvärinen and P. Pajunen. Nonlinear independent component analysis: Existence and uniqueness results. *Neural Networks*, 12(3):429–439, 1999.
13. E. Oja, A. Hyvärinen, and P. O. Hoyer. Image feature extraction and denoising by sparse coding. *Pattern Analysis and Applications*, 2(2):104–110, 1999.
14. E. Bingham and A. Hyvärinen. A fast fixed-point algorithm for independent component analysis of complex-valued signals. *Int. J. of Neural Systems*, 10(1):1–8, 2000.
15. P. O. Hoyer and A. Hyvärinen. Independent component analysis applied to feature extraction from colour and stereo images. *Network: Computation in Neural Systems*, 11(3):191–210, 2000.
16. A. Hyvärinen and P. O. Hoyer. Emergence of phase and shift invariant features by decomposition of natural images into independent feature subspaces. *Neural Computation*, 12(7):1705–1720, 2000.
17. A. Hyvärinen and E. Oja. Independent component analysis: Algorithms and applications. *Neural Networks*, 13(4-5):411–430, 2000.

18. A. Hyvärinen. Complexity pursuit: Separating interesting components from time-series. *Neural Computation*, 13(4):883–898, 2001.
19. A. Hyvärinen. Blind source separation by non-stationarity of variance: A cumulant-based approach. *IEEE Transactions on Neural Networks*, 12(6):1471–1474, 2001.
20. A. Hyvärinen and P. O. Hoyer. Topographic independent component analysis as a model of V1 organization and receptive fields. *Neurocomputing*, 38–40(1–4):1307–1315, 2001.
21. A. Hyvärinen and P. O. Hoyer. A two-layer sparse coding model learns simple and complex cell receptive fields and topography from natural images. *Vision Research*, 41(18):2413–2423, 2001.
22. A. Hyvärinen, P. O. Hoyer, and M. Inki. Topographic independent component analysis. *Neural Computation*, 13(7):1527–1558, 2001.
23. P. O. Hoyer and A. Hyvärinen. Sparse coding of natural contours. *Neurocomputing*, 44–46(C):459–466, 2002.
24. P. O. Hoyer and A. Hyvärinen. A multi-layer sparse coding network learns contour coding from natural images. *Vision Research*, 42(12):1593–1605, 2002.
25. A. Hyvärinen. An alternative approach to infomax and independent component analysis. *Neurocomputing*, 44–46(C):1089–1097, 2002.
26. A. Hyvärinen. Topography as a property of the natural sensory world. *Natural Computing*, 1(2–3):185–198, 2002.
27. A. Hyvärinen and M. Inki. Estimating overcomplete independent component bases from image windows. *J. of Mathematical Imaging and Vision*, 17:139–152, 2002.
28. A. Hyvärinen and R. Karthikesh. Imposing sparsity on the mixing matrix in independent component analysis. *Neurocomputing*, 49:151–162, 2002.
29. A. Hyvärinen and E. Bingham. Connection between multilayer perceptrons and regression using independent component analysis. *Neurocomputing*, 50(C):211–222, 2003.
30. J. Hurri and A. Hyvärinen. Simple-cell-like receptive fields maximize temporal coherence in natural video. *Neural Computation*, 15(3):663–691, 2003.
31. J. Hurri and A. Hyvärinen. A two-layer temporal generative model of natural video exhibits complex-cell-like pooling of simple cell outputs. *Neurocomputing*, 52–54:553–559, 2003.
32. J. Hurri and A. Hyvärinen. Temporal and spatiotemporal coherence in simple-cell responses: A generative model of natural image sequences. *Network: Computation in Neural Systems*, 14(3):527–551, 2003.
33. A. Hyvärinen, J. Hurri, and J. Väyrynen. Bubbles: A unifying framework for low-level statistical properties of natural image sequences. *J. of the Optical Society of America A*, 20(7):1237–1252, 2003.
34. V. Kiviniemi, J.-H. Kantola, J. Jauhiainen, A. Hyvärinen, and O. Tervonen. Independent component analysis of nondeterministic fMRI signal sources. *NeuroImage*, 19(2):253–260, 2003.
35. J. Himberg, A. Hyvärinen, and F. Esposito. Validating the independent components of neuroimaging time-series via clustering and visualization. *NeuroImage*, 22(3):1214–1222, 2004.
36. J. Hurri, J. Väyrynen, and A. Hyvärinen. Spatiotemporal receptive fields maximizing temporal coherence in natural image sequences. *Neurocomputing*, 58–60:815–820, 2004.
37. A. Hyvärinen and J. Hurri. Blind separation of sources that have spatiotemporal variance dependencies. *Signal Processing*, 84(2):247–254, 2004.
38. A. Hyvärinen, J. Hurri, and J. Väyrynen. A unifying framework for natural image statistics: spatio-

- otemporal activity bubbles. *Neurocomputing*, 58–60:801–806, 2004.
39. F. Esposito, T. Scarabino, A. Hyvärinen, J. Himberg, E. Formisano, S. Comani, G. Tedeschi, R. Goebel, E. Seifritz, and F. Di Salle. Independent component analysis of fMRI group studies by self-organizing clustering. *NeuroImage*, 25(1):193–205, 2005.
 40. A. Hyvärinen. A unifying model for blind separation of independent sources. *Signal Processing*, 85(7):1419–1427, 2005.
 41. A. Hyvärinen. Estimation of non-normalized statistical models using score matching. *J. of Machine Learning Research*, 6:695–709, 2005.
 42. A. Hyvärinen, M. Gutmann, and P. O. Hoyer. Statistical model of natural stimuli predicts edge-like pooling of spatial frequency channels in V2. *BMC Neuroscience*, 6(12), 2005.
 43. A. Hyvärinen. Consistency of pseudolikelihood estimation of fully visible Boltzmann machines. *Neural Computation*, 18(10):2283–2292, 2006.
 44. I. Kurki, A. Hyvärinen, and P. L. Laurinen. Collinear context (and learning) change the profile of the perceptual filter. *Vision Research*, 46(13):2009–2014, 2006.
 45. S. Shimizu, A. Hyvärinen, P. O. Hoyer, and Y. Kano. Finding a causal ordering via independent component analysis. *Computational Statistics & Data Analysis*, 50(11):3278–3293, 2006.
 46. S. Shimizu, P. O. Hoyer, A. Hyvärinen, and A. Kerminen. A linear non-Gaussian acyclic model for causal discovery. *J. of Machine Learning Research*, 7:2003–2030, 2006.
 47. A. Hyvärinen. Some extensions of score matching. *Computational Statistics & Data Analysis*, 51:2499–2512, 2007.
 48. A. Hyvärinen. Connections between score matching, contrastive divergence, and pseudolikelihood for continuous-valued variables. *IEEE Transactions on Neural Networks*, 18:1529–1531, 2007.
 49. A. Hyvärinen and U. Köster. Complex cell pooling and the statistics of natural images. *Network: Computation in Neural Systems*, 18:81–100, 2007.
 50. M. A. Vicente, P. O. Hoyer, and A. Hyvärinen. Equivalence of some common linear feature extraction techniques for appearance-based object recognition tasks. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29(5):896–900, 2007.
 51. L. Henriksson, L. Nurminen, A. Hyvärinen, and S. Vanni. Spatial frequency tuning in human retinotopic visual areas. *Journal of Vision*, 8(10):1–13, 2008.
 52. A. Hyvärinen. Optimal approximation of signal priors. *Neural Computation*, 20:3087–3110, 2008.
 53. J. Lindgren, J. Hurri, and A. Hyvärinen. Spatial dependencies between local luminance and contrast in natural images. *Journal of Vision*, 8(12):1–13, 2008.
 54. L. Henriksson, A. Hyvärinen, and S. Vanni. Representation of cross-frequency spatial phase relationships in human visual cortex. *Journal of Neuroscience*, 29(45):14342–14351, 2009.
 55. I. Kurki, T. Peromaa, A. Hyvärinen, and J. Saarinen. Visual features underlying perceived brightness as revealed by classification images. *PLoS ONE*, 4(10):e7432, 2009.
 56. S. Shimizu, P.O. Hoyer, and A. Hyvärinen. Estimation of linear non-gaussian acyclic models for latent factors. *Neurocomputing*, 72:2024–2027, 2009.
 57. T. Honkela, A. Hyvärinen, and J. Väyrynen. WordICA — emergence of feature representations for words by independent component analysis. *Natural Language Engineering*, 16(3):277–308, 2010.

58. A. Hyvärinen. Statistical models of natural images and cortical visual representation. *Topics in Cognitive Science*, 2:251–264, 2010.
59. A. Hyvärinen, P. Ramkumar, L. Parkkonen, and R. Hari. Independent component analysis of short-time Fourier transforms for spontaneous EEG/MEG analysis. *NeuroImage*, 49(1):257–271, 2010.
60. A. Hyvärinen, K. Zhang, S. Shimizu, and P. O. Hoyer. Estimation of a structural vector autoregression model using non-gaussianity. *J. of Machine Learning Research*, 11:1709–1731, 2010.
61. U. Köster and A. Hyvärinen. A two-layer model of natural stimuli estimated with score matching. *Neural Computation*, 22(9):2308–2333, 2010.
62. A. Hyvärinen. Testing the ICA mixing matrix based on inter-subject or inter-session consistency. *NeuroImage*, 58(1):122–136, 2011.
63. Y. Sogawa, S. Shimizu, A. Hyvärinen, T. Washio, T. Shimamura, and S. Imoto. Estimating exogenous variables in data with more variables than observations. *Neural Networks*, 24(8):875–880, 2011.
64. M. U. Gutmann and A. Hyvärinen. Noise-contrastive estimation of unnormalized statistical models, and its application to natural image statistics. *J. of Machine Learning Research*, 2012. In press.
65. P. Ramkumar, L. Parkkonen, R. Hari, and A. Hyvärinen. Characterization of neuromagnetic brain rhythms over time scales of minutes using spatial independent component analysis. *Human Brain Mapping*, 2012. In press.
66. J. Hurri, A. Hyvärinen, J. Karhunen, and E. Oja. Image feature extraction using independent component analysis. In *Proc. NORSIG'96*, pages 475–478, Espoo, Finland, 1996.
67. A. Hyvärinen and E. Oja. A neuron that learns to separate one independent component from linear mixtures. In *Proc. IEEE Int. Conf. on Neural Networks*, pages 62–67, Washington, D.C., 1996.
68. A. Hyvärinen. Finding cluster directions by non-linear hebbian learning. In *Proc. Int. Conf. on Neural Information Processing*, pages 97–102, Hong Kong, 1996.
69. A. Hyvärinen. Simple one-unit neural algorithms for blind source separation and blind deconvolution. In *Proc. Int. Conf. on Neural Information Processing*, pages 1201–1206, Hong Kong, 1996.
70. A. Hyvärinen. Purely local neural principal component and independent component learning. In *Proc. Int. Conf. on Artificial Neural Networks*, pages 139–144, Bochum, Germany, 1996.
71. E. Oja and A. Hyvärinen. Blind signal separation by neural networks. In *Proc. Int. Conf. on Neural Information Processing*, pages 7–14, Hong Kong, 1996.
72. P. Pajunen, A. Hyvärinen, and J. Karhunen. Non-linear blind source separation by self-organizing maps. In *Proc. Int. Conf. on Neural Information Processing*, pages 1207–1210, Hong Kong, 1996.
73. R. Vigário, A. Hyvärinen, and E. Oja. ICA fixed-point algorithm in extraction of artifacts from EEG. In *Proc. NORSIG'96*, pages 383–386, Espoo, Finland, 1996.
74. J. Hurri, A. Hyvärinen, and E. Oja. Wavelets and natural image statistics. In *Proc. Scandinavian Conf. on Image Analysis '97*, Lappeenranta, Finland, 1997.
75. A. Hyvärinen. One-unit contrast functions for independent component analysis: A statistical analysis. In *Neural Networks for Signal Processing VII (Proc. IEEE Workshop on Neural Networks*

Refereed articles (not abstracts) in international collections & international conference proceedings

66. J. Hurri, A. Hyvärinen, J. Karhunen, and E. Oja. Image feature extraction using independent com-

- for Signal Processing*), pages 388–397, Amelia Island, Florida, 1997.
76. A. Hyvärinen. A family of fixed-point algorithms for independent component analysis. In *Proc. IEEE Int. Conf. on Acoustics, Speech and Signal Processing (ICASSP'97)*, pages 3917–3920, Munich, Germany, 1997.
 77. A. Hyvärinen and E. Oja. One-unit learning rules for independent component analysis. In *Advances in Neural Information Processing Systems*, volume 9, pages 480–486. MIT Press, 1997.
 78. J. Karhunen, A. Hyvärinen, R. Vigário, J. Hurri, and E. Oja. Applications of neural blind separation to signal and image processing. In *Proc. IEEE Int. Conf. on Acoustics, Speech and Signal Processing (ICASSP'97)*, pages 131–134, Munich, Germany, 1997.
 79. E. Oja, J. Karhunen, A. Hyvärinen, R. Vigário, and J. Hurri. Neural independent component analysis — approaches and applications. In S. Amari and N. Kasabov, editors, *Brain-like Computing and Intelligent Information Systems*. Springer, 1997.
 80. E. Oja, J. Karhunen, and A. Hyvärinen. From neural principal components to neural independent components. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN'97)*, Lausanne, Switzerland, 1997.
 81. A. Hyvärinen. Noisy independent component analysis, maximum likelihood estimation, and competitive learning. In *Proc. IEEE Int. Joint Conf. on Neural Networks*, pages 2282–2287, Anchorage, Alaska, 1998.
 82. A. Hyvärinen. Independent component analysis in the presence of noise: A maximum likelihood approach. In *Proc. I&ANN Workshop*, pages 32–38, Tenerife, Spain, 1998.
 83. A. Hyvärinen. Statistical estimation in conceptual spaces. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN'98)*, pages 1071–1076, Skövde, Sweden, 1998.
 84. A. Hyvärinen. Sparse regression: Utilizing the higher-order structure of data for prediction. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN'98)*, pages 541–546, Skövde, Sweden, 1998.
 85. A. Hyvärinen. Independent component analysis for time-dependent stochastic processes. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN'98)*, pages 135–140, Skövde, Sweden, 1998.
 86. A. Hyvärinen. Denoising of sensory data by maximum likelihood estimation of sparse components. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN'98)*, pages 141–146, Skövde, Sweden, 1998.
 87. A. Hyvärinen. New approximations of differential entropy for independent component analysis and projection pursuit. In *Advances in Neural Information Processing Systems*, volume 10, pages 273–279. MIT Press, 1998.
 88. A. Hyvärinen, P. O. Hoyer, and E. Oja. Sparse code shrinkage for image denoising. In *Proc. IEEE Int. Joint Conf. on Neural Networks*, pages 859–864, Anchorage, Alaska, 1998.
 89. A. Hyvärinen, E. Oja, P. O. Hoyer, and J. Hurri. Image feature extraction by sparse coding and independent component analysis. In *Proc. Int. Conf. on Pattern Recognition (ICPR'98)*, pages 1268–1273, Brisbane, Australia, 1998.
 90. A. Hyvärinen and P. Pajunen. On existence and uniqueness of solutions in nonlinear independent component analysis. In *Proc. IEEE Int. Joint Conf. on Neural Networks*, pages 1350–1354, Anchorage, Alaska, 1998.
 91. E. Oja and A. Hyvärinen. Independent component analysis in image processing. In *Proc. SSAB -98*, Uppsala, Sweden, 1998.
 92. P. O. Hoyer and A. Hyvärinen. Estimating signal-adapted wavelets using sparseness criteria. In *Proc. Int. Joint Conf. on Neural Networks*, pages 2570–2575, Washington, D.C., 1999.

93. A. Hyvärinen. Noisy independent component analysis by gaussian moments. In *Proc. Int. Workshop on Independent Component Analysis and Signal Separation (ICA'99)*, pages 473–478, Aussois, France, 1999.
94. A. Hyvärinen. Fast independent component analysis with noisy data using gaussian moments. In *Proc. Int. Symp. on Circuits and Systems*, pages V57–V61, Orlando, Florida, 1999.
95. A. Hyvärinen. Beyond independent components. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN'99)*, pages 809–814, Edinburgh, UK, 1999.
96. A. Hyvärinen. Regression using independent component analysis, and its connection to multi-layer perceptrons. In *Proc. Int. Conf. on Artificial Neural Networks*, pages 491–496, Edinburgh, UK, 1999.
97. A. Hyvärinen, R. Cristescu, and E. Oja. A fast algorithm for estimating overcomplete ICA bases for image windows. In *Proc. Int. Joint Conf. on Neural Networks*, pages 894–899, Washington, D.C., 1999.
98. A. Hyvärinen and P. O. Hoyer. Independent subspace analysis shows emergence of phase and shift invariant features from natural images. In *Proc. Int. Joint Conf. on Neural Networks*, pages 1059–1064, Washington, D.C., 1999.
99. A. Hyvärinen and T. Honkela. Emotional disorders in autonomous agents? In *Proc. European Conf. on Artificial Life (ECAL'99)*, Lausanne, Switzerland, 1999.
100. A. Hyvärinen and P. O. Hoyer. Emergence of complex cell properties by decomposition of natural images into independent feature subspaces. In *Proc. Int. Conf. on Artificial Neural Networks*, pages 257–262, Edinburgh, UK, 1999.
101. A. Hyvärinen, P. O. Hoyer, and E. Oja. Sparse code shrinkage: Denoising by nonlinear maximum likelihood estimation. In *Advances in Neural Information Processing Systems*, volume 11, pages 473–479. MIT Press, 1999.
102. A. Hyvärinen, P. O. Hoyer, and E. Oja. Denoising of nongaussian data by independent component analysis and sparse coding. In *Proc. Int. Workshop on Independent Component Analysis and Signal Separation (ICA'99)*, pages 485–489, Aussois, France, 1999.
103. A. Hyvärinen, J. Särelä, and R. Vigário. Spikes and bumps: Artefacts generated by independent component analysis with insufficient sample size. In *Proc. Int. Workshop on Independent Component Analysis and Signal Separation (ICA'99)*, pages 425–429, Aussois, France, 1999.
104. E. Bingham and A. Hyvärinen. Fast and robust deflationary separation of complex-valued signals. In *Proc. European Conf. on Signal Processing (EUSIPCO2000)*, volume I, pages 23–26, Tampere, Finland, 2000.
105. E. Bingham and A. Hyvärinen. ICA of complex-valued signals: a fast and robust deflationary algorithm. In *Proc. Int. Joint Conf. on Neural Networks (IJCNN2000)*, pages 357–362, Como, Italy, 2000.
106. P. O. Hoyer and A. Hyvärinen. ICA features of colour and stereo images. In *Proc. Int. Workshop on Independent Component Analysis and Blind Signal Separation (ICA2000)*, pages 567–572, Helsinki, Finland, 2000.
107. P. O. Hoyer and A. Hyvärinen. Feature extraction from colour and stereo images using ICA. In *Proc. Int. Joint Conf. on Neural Networks (IJCNN2000)*, Como, Italy, 2000.
108. P. O. Hoyer and A. Hyvärinen. Modelling chromatic and binocular properties of V1 topography. In *Proc. Int. Conf. on Neural Information Processing (ICONIP2000)*, Taejon, Korea, 2000.
109. A. Hyvärinen. Complexity pursuit: combining nongaussianity and autocorrelations for signal sep-

- aration. In *Proc. Int. Workshop on Independent Component Analysis and Blind Signal Separation (ICA2000)*, pages 175–180, Helsinki, Finland, 2000.
110. A. Hyvärinen, P. O. Hoyer, and M. Inki. Topographic ICA as a model of natural image statistics. In *Proc. IEEE Int. Workshop on Biologically Motivated Computer Vision (BMCV2000)*, pages 535–544, Seoul, Korea, 2000.
 111. A. Hyvärinen and R. Karthikes. Sparse priors on the mixing matrix in independent component analysis. In *Proc. Int. Workshop on Independent Component Analysis and Blind Signal Separation (ICA2000)*, pages 477–452, Helsinki, Finland, 2000.
 112. A. Hyvärinen, P. O. Hoyer, and M. Inki. Topographic independent component analysis: Visualizing the independence structure. In *Proc. Int. Workshop on Independent Component Analysis and Blind Signal Separation (ICA2000)*, pages 591–596, Helsinki, Finland, 2000.
 113. A. Hyvärinen and P. O. Hoyer. Emergence of topography and complex cell properties from natural images using extensions of ICA. In *Advances in Neural Information Processing Systems*, volume 12, pages 827–833. MIT Press, 2000.
 114. A. Hyvärinen, P. O. Hoyer, and M. Inki. The independence assumption: Analyzing the independence of the components by topography. In M. Girolami, editor, *Advances in Independent Component Analysis*, pages 45–62. Springer-Verlag, 2000.
 115. A. Hyvärinen, P. Hoyer, and M. Inki. Topographic ICA as a model of V1 receptive fields. In *Proc. Int. Joint Conf. on Neural Networks (IJCNN2000)*, Como, Italy, 2000.
 116. A. Hyvärinen and P. O. Hoyer. Topographic ICA as a model of V1 receptive fields and topography. In *Proc. Int. Conf. on Neural Information Processing (ICONIP2000)*, Taejon, Korea, 2000.
 117. A. Hyvärinen. Complexity pursuit: Using both nongaussianity and autocorrelations for signal separation. In *Proc. Int. Conf. on Neural Information Processing (ICONIP2000)*, Taejon, Korea, 2000.
 118. A. Hyvärinen. Fast independent component analysis. In S. Roberts and R. Everson, editors, *ICA: Principles and Practice*. Cambridge University Press, 2001.
 119. A. Hyvärinen, P. O. Hoyer, and E. Oja. Image denoising by sparse code shrinkage. In S. Haykin and B. Kosko, editors, *Intelligent Signal Processing*. IEEE Press, 2001.
 120. J. Himberg and A. Hyvärinen. Independent component analysis for binary data: An experimental study. In *Proc. Int. Workshop on Independent Component Analysis and Blind Signal Separation (ICA2001)*, San Diego, California, 2001.
 121. M. Inki and A. Hyvärinen. Two methods for estimating overcomplete independent component bases. In *Proc. Int. Workshop on Independent Component Analysis and Blind Signal Separation (ICA2001)*, San Diego, California, 2001.
 122. J. Hurri and A. Hyvärinen. Receptive fields similar to simple cells maximize temporal coherence in natural video. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN2002)*, pages 33–38, Madrid, Spain, 2002.
 123. J. Hurri and A. Hyvärinen. A novel temporal generative model of natural video as an internal model in early vision. In *Proc. First Int. Workshop on Generative-Model-Based Vision*, pages 37–41, Copenhagen, Denmark, 2002.
 124. A. Hyvärinen. Activity bubbles and natural image sequences. In *Proc. Int. Conf. on Knowledge-Based Intelligent Information and Engineering Systems (KES2002)*, pages 397–401, Crema, Italy, 2002.
 125. M. Inki and A. Hyvärinen. Two approaches to estimation of overcomplete independent component bases. In *Proc. Int. Joint Conference on*

- Neural Networks (IJCNN2002)*, pages 454–459, Honolulu, Hawaii, 2002.
126. J. Himberg and A. Hyvärinen. Icasto: software for investigating the reliability of ICA estimates by clustering and visualization. In *Proc. IEEE Workshop on Neural Networks for Signal Processing (NNSP2003)*, pages 259–268, Toulouse, France, 2003.
 127. J. Hurri and A. Hyvärinen. Temporal coherence, natural image sequences, and the visual cortex. In *Advances in Neural Information Processing Systems*, volume 15, pages 141–148. MIT Press, 2003.
 128. P. O. Hoyer and A. Hyvärinen. Interpreting neural response variability as Monte Carlo sampling of the posterior. In *Advances in Neural Information Processing Systems*, volume 15, pages 277–284. MIT Press, 2003.
 129. A. Hyvärinen, P. O. Hoyer, and J. Hurri. Extensions of ICA as models of natural images and visual processing. In *Proc. Int. Symposium on Independent Component Analysis and Blind Signal Separation (ICA2003)*, pages 963–974, Nara, Japan, 2003.
 130. A. Hyvärinen and Y. Kano. Independent component analysis for non-normal factor analysis. In *New Developments in Psychometrics (Proc. IMPS2001)*, pages 649–656, 2003.
 131. T. Honkela and A. Hyvärinen. Linguistic feature extraction using independent component analysis. In *Proc. Int. Joint Conf. on Neural Networks (IJCNN2004)*, pages 279–284, Budapest, Hungary, 2004.
 132. J. Hurri, J. Väyrynen, and A. Hyvärinen. Spatiotemporal linear simple-cell models based on temporal coherence and independent component analysis. In *Proc. of the Neural Computation and Psychology Workshop 8*, pages 29–38, Canterbury, UK, 2004.
 133. A. Hyvärinen. Why would factors of components be non-normal and square-correlated? In *Proc. Factor Analysis Centennial Symposium*, pages 139–148, Osaka, Japan, 2004.
 134. J. T. Lindgren and A. Hyvärinen. Learning high-level independent components of images through a spectral representation. In *Proc. Int. Conf. on Pattern Recognition (ICPR2004)*, pages 72–75, Cambridge, UK, 2004.
 135. S. Shimizu, A. Hyvärinen, and Y. Kano. Independent component analysis and its application to causal analysis. In *Proc. Factor Analysis Centennial Symposium*, pages 121–138, Osaka, Japan, 2004.
 136. J. Väyrynen, T. Honkela, and A. Hyvärinen. Independent component analysis of word contexts and comparison with traditional categories. In *Proc. NORSIG 2004*, pages 300–303, Espoo, Finland, 2004.
 137. T. Honkela, A. Hyvärinen, and J. Väyrynen. Emergence of linguistic features: Independent component analysis of contexts. In *Proc. of the Neural Computation and Psychology Workshop 9*, Plymouth, UK, 2005.
 138. A. Hyvärinen, P. O. Hoyer, J. Hurri, and M. Gutmann. Statistical models of images and early vision. In *Proc. Int. Conf. Adaptive Knowledge Representation and Reasoning*, pages 1–14, Espoo, Finland, 2005.
 139. S. Shimizu, A. Hyvärinen, and Y. Kano. A generalized least squares approach to blind separation of sources which have variance dependencies. In *Proc. IEEE Workshop on Statistical Signal Processing (SSP2005)*, Bordeaux, France, 2005.
 140. S. Shimizu, A. Hyvärinen, Y. Kano, and P. O. Hoyer. Discovery of non-gaussian linear causal models using ICA. In *Proc. 21st Conference on Uncertainty in Artificial Intelligence (UAI2005)*, pages 526–533, Edinburgh, UK, 2005.

141. P. O. Hoyer, S. Shimizu, A. Hyvärinen, Y. Kano, and A. Kerminen. New permutation algorithms for causal discovery using ICA. In *Proc. Int. Conference on Independent Component Analysis and Blind Signal Separation (ICA2006)*, pages 115–122, Charleston, South Carolina, 2006.
142. S. Shimizu, A. Hyvärinen, Y. Kano, P. O. Hoyer, and A. Kerminen. Testing significance of mixing and demixing coefficients in ICA. In *Proc. Int. Conference on Independent Component Analysis and Blind Signal Separation (ICA2006)*, pages 901–908, Charleston, South Carolina, 2006.
143. A. Hyvärinen and U. Köster. FastISA: A fast fixed-point algorithm for independent subspace analysis. In *Proc. European Symposium on Artificial Neural Networks*, Bruges, Belgium, 2006.
144. A. Hyvärinen and J. Perkiö. Learning to segment any random vector. In *Proc. IEEE Int. Joint Conf. on Neural Networks*, pages 4167–4172, Vancouver, Canada, 2006.
145. A. Hyvärinen and S. Shimizu. A quasi-stochastic gradient algorithm for variance-dependent component analysis. In *Proc. Int. Conf. on Artificial Neural Networks*, pages 211–220, Athens, Greece, 2006.
146. A. Hyvärinen. Behavioural priors: Learning to search efficiently in action planning. In *Proc. European Cognitive Science Conference*, pages 324–328, Delphi, Greece, 2007.
147. A. Hyvärinen. Unsupervised learning of an embodied representation for action selection. In *Proc. European Cognitive Science Conference*, pages 658–665, Delphi, Greece, 2007.
148. U. Köster and A. Hyvärinen. A two-layer ICA-like model estimated by score matching. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN2007)*, pages 798–807, Porto, Portugal, 2007.
149. J. T. Lindgren, J. Hurri, and A. Hyvärinen. The statistical properties of local log-contrast in natural images. In *Proc. Scandinavian Conf. on Image Analysis (SCIA2007)*, pages 354–363, Aalborg, Denmark, 2007.
150. J. T. Lindgren and A. Hyvärinen. Emergence of conjunctive visual features by quadratic independent component analysis. In *Advances in Neural Information Processing Systems*, volume 19, pages 897–90. MIT Press, 2007.
151. P. O. Hoyer, A. Hyvärinen, R. Scheines, P. Spirtes, J. Ramsey, G. Lacerda, and S. Shimizu. Causal discovery of linear acyclic models with arbitrary distributions. In *Proc. 24th Conf. on Uncertainty in Artificial Intelligence (UAI2008)*, pages 282–289, Helsinki, Finland, 2008.
152. A. Hyvärinen, S. Shimizu, and P. O. Hoyer. Causal modelling combining instantaneous and lagged effects: an identifiable model based on non-Gaussianity. In *Proc. Int. Conf. on Machine Learning (ICML2008)*, pages 424–431, Helsinki, Finland, 2008.
153. A. Hyvärinen. Estimation theory and information geometry based on denoising. In *Proc. Int. Workshop on Information-Theoretic Methods in Science and Engineering*, Tampere, Finland, 2008.
154. J. Lindgren and A. Hyvärinen. On the learning of nonlinear visual features from natural images by optimizing response energies. In *Proc. Int. Joint Conference on Neural Networks (IJCNN2008)*, pages 1027–1034, Hong Kong, 2008.
155. J. Lindgren, J. Hurri, and A. Hyvärinen. Unsupervised learning of dependencies between local luminance and contrast in natural images. In *Proc. Int. Joint Conference on Neural Networks (IJCNN2008)*, pages 357–363, Hong Kong, 2008.
156. M. Gutmann, A. Hyvärinen, and K. Aihara. Learning encoding and decoding filters for data representation with a spiking neuron. In *Proc. Int. Joint Conference on Neural Networks (IJCNN2008)*, Hong Kong, 2008.
157. S. Shimizu and A. Hyvärinen. Discovery of linear non-gaussian acyclic models in the presence of lat-

- ent classes. In *Proc. Int. Conference on Neural Information Processing (ICONIP2007)*, pages 752–761, Kitakyushu, Japan, 2008.
158. M. Gutmann, A. Hyvärinen, and K. Aihara. Learning reconstruction and prediction of natural stimuli by a population of spiking neurons. In *Proc. European Symposium on Artificial Neural Networks (ESANN2009)*, Bruges, Belgium, 2009.
159. M. Gutmann and A. Hyvärinen. Learning features by contrasting natural images with noise. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN2009)*, pages 623–632, Limassol, Cyprus, 2009.
160. U. Köster, J. T. Lindgren, and A. Hyvärinen. Estimating Markov random field potentials for natural images. In *Proc. Int. Conference on Independent Component Analysis and Blind Signal Separation (ICA2009)*, pages 515–522, Paraty, Brazil, 2009.
161. U. Köster, J. T. Lindgren, M. Gutmann, and A. Hyvärinen. Learning natural image structure with a horizontal product model. In *Proc. Int. Conference on Independent Component Analysis and Blind Signal Separation (ICA2009)*, pages 507–514, Paraty, Brazil, 2009.
162. J. Perkiö and A. Hyvärinen. Modelling image complexity by independent component analysis, with application to content-based image retrieval. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN2009)*, pages 704–714, Limassol, Cyprus, 2009.
163. S. Shimizu, A. Hyvärinen, Y. Kawahara, and T. Washio. A direct method for estimating a causal ordering in a linear non-gaussian acyclic model. In *Proc. 25th Conference on Uncertainty in Artificial Intelligence (UAI2009)*, pages 506–513, Montréal, Canada, 2009.
164. K. Zhang and A. Hyvärinen. On the identifiability of the post-nonlinear causal model. In *Proc. 25th Conference on Uncertainty in Artificial Intelligence (UAI2009)*, pages 647–655, Montréal, Canada, 2009.
165. K. Zhang and A. Hyvärinen. Causality discovery with additive disturbances: An information-theoretical perspective. In *Proc. European Conference on Machine Learning (ECML2009)*, pages 570–585, Barcelona, Spain, 2009.
166. K. Zhang, H. Peng, L. Chan, and A. Hyvärinen. ICA with sparse connections: Revisited. In *Proc. Int. Conference on Independent Component Analysis and Blind Signal Separation (ICA2009)*, pages 195–202, Paraty, Brazil, 2009.
167. M. Gutmann and A. Hyvärinen. Noise-contrastive estimation: A new estimation principle for unnormalized statistical models. In *Proc. Int. Conf. on Artificial Intelligence and Statistics (AISTATS2010)*, *JMLR W&CP*, volume 9, pages 297–304, Chia, Italy, 2010.
168. J. Hirayama, A. Hyvärinen, and S. Ishii. Sparse and low-rank estimation of time-varying markov networks with alternating direction method of multipliers. In *Proc. Int. Conf. on Neural Information Processing (ICONIP2010)*, pages 371–379, Sydney, Australia, 2010.
169. A. Hyvärinen. Pairwise measures of causal direction in linear non-gaussian acyclic models. In *Proc. Asian Conf. on Machine Learning, JMLR W&CP*, volume 13, pages 1–16, Tokyo, Japan, 2010.
170. M. Pihlaja, M. Gutmann, and A. Hyvärinen. A family of computationally efficient and simple estimators for unnormalized statistical models. In *Proc. 26th Conference on Uncertainty in Artificial Intelligence (UAI2010)*, Catalina Island, California, 2010.
171. P. Ramkumar, A. Hyvärinen, L. Parkkonen, and R. Hari. Characterization of spontaneous neuromagnetic brain rhythms using independent

- component analysis of short-time Fourier transforms. In *Proc. Int. Conf. on Biomagnetism (BIOMAG2010)*, Dubrovnik, Croatia, 2010.
172. Y. Sogawa, S. Shimizu, A. Hyvärinen, T. Washio, T. Shimamura, and S. Imoto. Discovery of exogenous variables in data with more variables than observations. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN2010)*, Thessaloniki, Greece, 2010.
173. V. Zarsoso and A. Hyvärinen. Chapter 6: Iterative algorithms. In *Handbook on Independent Component Analysis and Blind Source Separation*. Academic Press, 2010.
174. K. Zhang and A. Hyvärinen. Distinguishing causes from effects using nonlinear acyclic causal models. In *JMLR Workshop and Conference Proceedings. Causality: Objectives and Assessment (NIPS 2008)*, volume 6, pages 157–164, 2010.
175. K. Zhang and A. Hyvärinen. Source separation and higher-order causal analysis of MEG and EEG. In *Proc. 26th Conference on Uncertainty in Artificial Intelligence (UAI2010)*, Catalina Island, California, 2010.
176. M. U. Gutmann and A. Hyvärinen. Extracting coactivated features from multiple datasets. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN2011)*, pages 323–330, Helsinki, Finland, 2011.
177. J. Puuronen and A. Hyvärinen. Hermite polynomials and measures of non-Gaussianity. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN2011)*, pages 205–212, Helsinki, Finland, 2011.
178. V. Laparra, M. U. Gutmann, J. Malo, and A. Hyvärinen. Complex-valued independent component analysis of natural images. In *Proc. Int. Conf. on Artificial Neural Networks (ICANN2011)*, pages 213–220, Helsinki, Finland, 2011.
179. H. Sasaki, M. U. Gutmann, H. Shouno, and A. Hyvärinen. Learning topographic representations for linearly correlated components. In *Online Proceedings of the NIPS Workshop on Deep Learning and Unsupervised Feature Learning*, Granada, Spain, 2011. 8 pages.
180. K. Zhang and A. Hyvärinen. A general linear non-gaussian state-space model: Identifiability, identification, and applications. In *Proc. Asian Conf. on Machine Learning, JMLR W&CP*, page 113128, Taoyuan, Taiwan, 2011.
181. J. Hirayama, A. Hyvärinen, and S. Ishii. Structural equations and divisive normalization for energy-dependent component analysis. In *Advances in Neural Information Processing Systems (NIPS2011)*, volume 24, 2012. In press.