

More about pointers

Timo Karvi

September, 2013

More about Pointers

We study the following topics:

- generic pointers,
- pointer conversions,
- pointer subtraction,
- protecting return values and parameter values: `const`,
- pointers to functions,
- generic pointers,
- pointers to blocks containing pointers.

- A special pointer type `void*` can be safely converted to any other pointer type.

Example:

```
void * p;  
char c = 'c';  
char *cp = &c;  
  
p = cp;  
  
/* illegal putchar(*p); */  
  
putchar(*(char*)p);
```

Pointer Conversions I

- **Storage alignment** means that storage units must begin on certain addressing boundaries. For example, on a byte-oriented machine, a 16-bit word may have to start on a multiple of bytes, such as 4. In order to satisfy this requirement, compilers insert *pad bytes*. Storage alignment is one of the reasons for the lack of portability.
- Consider the following variable definitions:

```
char * pc;  
int * pi;
```

and assume that `pc` is initialized to 1001. Given this information, what is the value of `(int*)pc`?

- The conversion of `pc` to integer pointer type may require an adjustment to an address that is divisible by 4, accomplished either by scaling down to 1000 or scaling up to 1004. The C language does not specify whether the adjustment is backward or forward, so both possibilities could occur.

Pointer Conversions II

- Thus the value of $(\text{int}^*)\text{pc}$ can differ from the value of pc because of this scaling.
- The other possibility is that no address adjustment is performed when pointers are converted from one type another. In this case, an expression involving the dereferencing of that converted pointer, for example $*((\text{int}^*)\text{pc})$, may result in the operating system aborting the program because of illegal addressing (an integer at an address not divisible by 4).
- In general, pointers to a type S may be safely converted to pointers to a type T and back if S is **more restrictive** than T .

Pointer Subtraction I

- Given two pointers, p and q , which are of the same type, assuming that p is greater than q and that both point to objects in a single memory block, the expression

$$p - q$$

yields the number of objects between p and q , including the object pointed to by q .

- The type of the result of pointer difference is *ptrdiff_t*, defined in *stddef.h*.
- The type is defined in the library because the result of pointer subtraction may have to be represented as a "small" value, if the so-called small memory model is used (for example, the model limited to 64K). It may also have to be represented as a large value for large memory models. Therefore, for the sake of portability, you can only assume that this type is signed, and avoid making of conversions.

Pointer Subtraction II

- Pointer subtraction can be used to find the first occurrence of the value 0 in a block of doubles. Variable *position* will be initialized to the position in the block that the 0 occurs, or to -1 if 0 does not occur in the block.

```
int position;
for (q=p; q<p+SIZE; q++)
    if (*q == 0.0)
        break;
position = (q == p+SIZE) ? -1 : (q-p)+1;
```

- This code compares *q* with the pointer pointing to $p + SIZE$, which points beyond the block allocated for *p*. C allows to do this, as long as you do not try to dereference such a pointer.

Protecting Return Values I

- Sometimes a function can have unwanted side effects. Consider the following function.

```
#define SIZE 10
double *p;
if (MALLOC(p, double, 10))
    error;

double product( double *block, int size) {
    int i;
    for (i=1; i<size; i++)
        block[0] *= block[i];

    return block[0];
}
```


Protecting Return Values II

- The function calculates the product using the first element of the block. (Do not use this kind solutions in your programs!) A call to this function will confuse the caller, who most likely does not expect the function to modify his or her block of memory.
- This side effect can be prevented by adding the *const* keyword:

```
double product ( const double * block, int size);
```

Now *const* specifies that *block* is a pointer to constant data, and any attempt to modify this data would produce a compiler's warning.

- Consider a different example:

Protecting Return Values III

```
const int* f(int i) {  
    int * p;  
    if ((p = malloc(sizeof(int)) == NULL)  
        return NULL;  
    *p = i;  
    return p;  
}
```

f() return a pointer to constant data, and any attempt to modify it will fail. Specifically,

```
int *p = f(2);
```

will produce a compiler warning, while

```
const int * q = f(2);
```

```
*q = 3;
```

will produce an error.

Qualified Pointers

Especially, we have the following possibilities with constant pointers:

- `const int *p`; pointer to constant integer, the value of p may change, but the value of $*p$ can not;
- `int *const p`; constant pointer to integer; the value of $*p$ can change, but the value of p can not;
- `const int *const p`; constant pointer to constant integer;

There is an alternative syntax for a pointer to constant data:

```
int const *p.
```

Pointers can also be qualified as `volatile`, mainly to deal with problems encountered with real-time systems. Volatile variables can be modified asynchronously.

Pointers to Functions I

- Consider a type definition

```
int (*fp) (void)
```

Here *fp* is a pointer to an integer function that has no parameters. The brackets around **fp* are necessary. By C's precedence rules,

```
int *fp( )
```

is a function returning a pointer to *int*.

- Another example:

```
double* (*gp)(int);
```

gp is a pointer to a function that returns a pointer to a double and has one integer parameter.

- A pointer to a function determines the prototype of this function, but it does not specify its implementation. You can assign an existing function to the pointer as long as both have identical parameter lists and return types, using this assignment

Pointers to Functions II

```
ptrName = funcName;
```

For example:

```
int (*fp) (void);  
double* (*gp) (int);  
int f(void);  
double* g(int);
```

```
fp = f;
```

```
gp = g;
```

You can call the function $f()$ through the pointer fp :

```
int i = fp();
```

- One application of this techniques is to write generic sort functions that make the assumption the user provides the required function, such as the comparison function.

Pointers to Functions III

- Pointers to functions may be used to pass function as parameters to other functions. Suppose we want to write a function *tabulate()* which has a function, say *f()*, as one of its parameters:

```
void tabulate (double low, double high, double step,  
              double (*f)(double)) {
```

```
double x;
```

```
for (x = low; x <= high; x += step)  
printf("%13.5f %20.10f\n", x, f(x));  
}
```

```
tabulate(-1.0, 1.0, 0.01, pol1);  
tabulate(-2.0, 2.0, 0.02, pol2);
```

- It may be very useful to have functions with typeless parameters. Consider first a task where there is a block of double values and a function must search a particular value in this block. In this case the function is simple:

```
int search(const double *block, size_t size,
           double value) {
    double * p;

    if (block == NULL)
        return 0;
    for (p=block; p < block+size; p++)
        if (*p == value)
            return 1;
    return 0;}

```

Generic Pointers II

- Next we try to generalize this function so that the function can be used with any parameter type: double, int, etc. The result is as follows:

```
int searchGen(const void *block, size_t size,
              void *value, size_t elsize,
              int (*compare) (const void *,
                              const void *))
{
    void *p;

    if (block == NULL)
        return 0;
    for (p = block; p < block + size*elsize; p += elsize)
        if (compare(p, value))
            return 1;
    return 0; }

```


Pointers to Blocks Containing Pointers I

- In the excises we have defined an arrays whose elements are pointers to some elements. These kind of definitions can also be made by the following way:

```
double **block;
```

Now *block* points to an area in the memory, where every element points to a double value. We can reserve, for example, space for three block element:

```
#define SIZE 3;
if ((block = calloc(SIZE, sizeof(double*))) == NULL )
    ...
```

The next step allocates memory for each element of the block:

Pointers to Blocks Containing Pointers II

```
for (i = 0; i < SIZE; i++)  
if ((block[i] = calloc(1, sizeof(double))) == NULL)  
    ...
```

If we want to save a double value to the element pointed by *block[0]*, we can use different notations:

```
*(block) = 2.1; or  
*(block[0]) = 2.1; or  
block[0][0] = 2.1;
```

```
block[1,0] = 3.1; or  
*(block[1]) = 3.1; or  
*(block + 1) = 3.1;
```