

A photograph of a tiger behind a chain-link fence, used as a background for the title text. The tiger is yellow with black stripes and is looking towards the camera. The fence is made of metal links and is in the foreground, partially obscuring the tiger. The background is a green, grassy area.

Inference in Bayesian Networks

Inference in Bayesian networks

- Given a Bayesian network B (i.e., DAG and CPTs) , calculate $P(\mathbf{X}|\mathbf{e})$ where \mathbf{X} is a set of query variables and \mathbf{e} is an instantiation of observed variables \mathbf{E} (\mathbf{X} and \mathbf{E} separate).
- There is always the way through marginals:
 - normalize $P(\mathbf{x},\mathbf{e}) = \sum_{\mathbf{y} \in \text{dom}(\mathbf{Y})} P(\mathbf{x},\mathbf{y},\mathbf{e})$, where $\text{dom}(\mathbf{Y})$, is a set of all possible instantiations of the unobserved non-query variables \mathbf{Y} .
- There are much smarter algorithms too, but in general the problem is NP hard (more later).

How to generate random vectors from a Bayesian network

- Sample parents first

- $P(C)$

- $(0.5, 0.5) \rightarrow \text{yes}$

- $P(S|C=\text{yes})$

- $(0.9, 0.1) \rightarrow \text{on}$

- $P(R | C=\text{yes})$

- $(0.8, 0.2) \rightarrow \text{no}$

- $P(W | S=\text{on}, R=\text{no})$

- $(0.9, 0.1) \rightarrow \text{yes}$

- $P(C,S,R,W) = P(\text{yes},\text{on},\text{no},\text{yes})$
 $= 0.5 \times 0.9 \times 0.2 \times 0.9 = 0.081$

	Cloudy=no	Cloudy=yes
	0.5	0.5

Cloudy	Sprinkler=on	Sprinkler=off
no	0.5	0.5
yes	0.9	0.1


Cloudy	Rain=yes	Rain=no
no	0.2	0.8
yes	0.8	0.2

Sprinkler	Rain	WetGrass=yes	WetGrass=no
on	no	0.90	0.10
on	yes	0.99	0.01
off	no	0.01	0.99
off	yes	0.90	0.10

Some famous (simple) Bayesian network models

- Naïve Bayes classifier
- Finite mixture model
- Tree Augmented Naïve Bayes
- Hidden Markov Models (HMMs)

Naïve Bayes classifier



- X_i are called predictors or indicators

Naïve Bayes Classifier

- Structure tailored for efficient diagnostics $P(C|x_1, x_2, \dots, x_n)$.
- Unrealistic conditional independence assumptions, but OK for the particular query $P(C|x_1, x_2, \dots, x_n)$.
- Because of wrong independence assumptions, NB is often poorly calibrated:
 - Probabilities $P(C|x_1, x_2, \dots, x_n)$ way off, but $\operatorname{argmax}_c P(c|x_1, x_2, \dots, x_n)$ still often correct.

Calculating $P(C|x_1, x_2, \dots, x_n, NB)$


- Boldly calculate through joint probability

$$P(C|x_1, \dots, x_n) \propto P(C, x_1, \dots, x_n) = P(C) \prod_{i=1}^n P(x_i|C)$$

- No need to have all the predictors. Having just set X_A of predictors (and not X_B):

$$\begin{aligned} P(C|x_A) &\propto P(C, x_A) = \sum_{x_B} P(C, x_A, x_B) \\ &= \sum_{x_B} P(C) \prod_{i \in A} P(x_i|C) \prod_{j \in B} P(x_j|C) \\ &= P(C) \prod_{i \in A} P(x_i|C) \sum_{x_B} \prod_{j \in B} P(x_j|C) \\ &= P(C) \prod_{i \in A} P(x_i|C) \prod_{j \in B} \sum_{x_j} P(x_j|C) = P(C) \prod_{i \in A} P(x_i|C) \end{aligned}$$

Tree Augmented Naïve Bayes (TAN)




- X_i may have at most one other X_j as an extra parent.

Calculating $P(C|x_1, x_2, \dots, x_n, TAN)$

- Again, boldly calculate via joint probability

$$P(C|x_1, \dots, x_n) \propto P(C, x_1, \dots, x_n) = P(C) \prod_{i=1}^n P(x_i|C, Pa(x_i))$$

- But missing predictors may hurt more. For example:



$$\begin{aligned} P(C|x_5) &\propto P(C)P(x_5|C) = P(C) \sum_{x_4} P(x_4|C)P(x_5|x_4, C) \\ &= P(C) \sum_{x_4} P(x_5|C, x_4)P(x_4|C) \\ &= P(C) \sum_{x_4} P(x_5|C, x_4) \sum_{x_3} P(x_4|C, x_3)P(x_3|C) \\ &= \dots \end{aligned}$$

NB as a Finite Mixture Model

- When NB structure is right, it also makes a nice (marginal) joint probability model $P(X_1, X_2, \dots, X_n)$ for “predictors”.
- A computationally effective alternative for building a Bayesian network for X_1, X_2, \dots, X_n .
- Joint probability $P(X_1, X_2, \dots, X_n)$ is represented as a mixture of K joint probability distributions $P_k(X_1, X_2, \dots, X_n) = P_k(X_1)P_k(X_2)\dots P_k(X_n)$, where $P_k(\cdot) = P(\cdot | C=k)$.

Calculating with $P(X_1, X_2, \dots, X_n | NB)$

- Joint probability a simple marginalization:


$$\begin{aligned} P(X_1, \dots, X_n) &= \sum_{k=1}^K P(X_1, \dots, X_n, C=k) \\ &= \sum_{k=1}^K P(C=k) \prod_{i=1}^n P(X_i | C=k) \end{aligned}$$

- Inference

$$\begin{aligned} P(X|e) \propto P(e, X) &= \sum_{k=1}^K P(e, X, C=k) \\ &= \sum_{k=1}^K P(C=k) P(e, X | C=k) \\ &= \sum_{k=1}^K P(C=k) \prod_{X_i \in X} P(X_i | C=k) \prod_{e_i \in e} P(e_i | C=k) \end{aligned}$$

Hidden Markov Models


- Models observations about a system that changes its state.



An aerial, black and white photograph of Manhattan, New York City. The image shows the dense grid of skyscrapers and buildings. A white, semi-transparent graphical model is overlaid on the city, consisting of a network of lines and nodes that represent a probabilistic approach to mobile device positioning. The model is most prominent in the lower-left quadrant, showing a complex web of connections between various points. The text is centered over the right side of the image.

Graphical models
on Manhattan
— A probabilistic approach to
mobile device positioning


Location positioning problem



The positioning problem

- Given some location-dependent observations O , measured by a mobile device, determine the location L of the device
- Why is this a good research problem?
 - The goodness of different solutions is extremely easy to validate (just go to a known location and test)
 - The results have immediate practical applications
 - Location-based services (LBS)
 - FCC Enhanced 911:
 - Network-based solutions: error below 100 meters for 67 percent of calls, 300 meters for 95 percent of calls
 - Handset-based solutions: error below 50 meters for 67 percent of calls, 150 meters for 95 percent of calls


Cell ID




Cell-id in urban positioning




- errors > 500m common
- + simple




Cell ID errors



Enhanced Observed Time Difference (E-OTD)





Problems with E-OTD in urban positioning




- multi-paths
- no line of sight to BS
- extra hardware

"Theory"





“Practice”




The signal propagation approach

Theory

Reality



Empirical modeling in urban positioning



- +accurate
- +handset or network based
- calibration measurements required


A probabilistic approach to positioning

$$P(L | O) = \frac{P(O | L) P(L)}{P(O)}$$

- A probabilistic model assigns a probability for each possible location L given the observations O .
 - $P(O | L)$ is the conditional probability of obtaining observations O at location L .
 - $P(L)$ is the prior probability of location O . (Could be used to exploit user profiles, rails etc.)
 - $P(O)$ is just a normalizing constant.
- How to obtain $P(O | L)$? \Rightarrow Empirical observations + machine learning


Tracking with Markov models

- Typically we have a sequence (history) of observations O_1, \dots, O_n , and wish to determine $P(L_n | O^n)$
- Assumption: $P(O_t | L_t)$ are known, and given location L_t , the observation O_t is independent of the rest of the history
- The model: a hidden Markov model (HMM) where the locations L_t are the hidden unobserved states
- The transition probabilities $P(L_t | L_{t-1})$ can be easily determined from the physical properties of the moving object



One more assumption

- The observation at time t typically consists of several measurements (e.g., strengths of signals from all the transmitters that can be heard)
- If the wireless network is designed in a reasonable manner (the transmitters are far from each other), it makes sense to assume that the individual observations are independent, given the location
- The “Naïve Bayes” model



Tracking as probabilistic inference

- As our hidden Markov model is a tree, we can compute the marginal of any L_t , given the history O^n , in linear time by using a simple forward-backward algorithm
- Alternatively, we can compute the maximum probability path L_1, \dots, L_n given the history (this is known as the **Viterbi** algorithm)
- **Kalman filter**: all the conditional distributions of the HMM model are normal distributions (linear dependencies with Gaussian noise)

Recursive tracking


- Assume that $\mathbf{P}(\mathbf{L}_{n-1} | \mathbf{O}^{n-1})$ has been computed.
- Our model defines the transition probabilities $\mathbf{P}(\mathbf{L}_t | \mathbf{L}_{t-1})$ and the local observation probabilities $\mathbf{P}(\mathbf{O}_t | \mathbf{L}_t)$
- Now $\mathbf{P}(\mathbf{L}_n | \mathbf{O}^n) \propto \mathbf{P}(\mathbf{L}_n, \mathbf{O}^n)$
 - $= \mathbf{P}(\mathbf{O}_n | \mathbf{L}_n, \mathbf{O}^{n-1}) \mathbf{P}(\mathbf{L}_n, \mathbf{O}^{n-1})$
 - $= \mathbf{P}(\mathbf{O}_n | \mathbf{L}_n) \sum_{\mathbf{L}_{n-1}} \mathbf{P}(\mathbf{L}_n, \mathbf{L}_{n-1}, \mathbf{O}^{n-1})$
 - $\propto \mathbf{P}(\mathbf{O}_n | \mathbf{L}_n) \sum_{\mathbf{L}_{n-1}} \mathbf{P}(\mathbf{L}_n | \mathbf{L}_{n-1}) \mathbf{P}(\mathbf{L}_{n-1} | \mathbf{O}^{n-1})$
- With a Kalman filter, the recursive process operates all the time with Gaussians



GSM-positioning trials

NYC Trial 2001


<http://cosco.hiit.fi/demo/manhattan/>



Details


- Covering downtown Manhattan (10th - 114th St)
- Data gathering by car
- Modeling: 10 person days
- Target accuracy: less than 911 handset requirements
- Tests using cars

Accuracy of NYC Trial 2001



- 20166 points
- tracking; testing done in a car;

Trials: Manhattan 2002




Challenges

- “real 911” simulation
 - No tracking information
 - Only up to 60 seconds of signal measurements
- Target accuracy: “theater level”
- Indoor testing (without indoor modeling)



Accuracy NYC Trial 2002



- 30 points
- static; testing done by walking;

WiFi-positioning

P.Myllymäki, T. Roos, H.Tirri, P.Misikangas and J.Sievänen. *A Probabilistic Approach to WLAN User Location Estimation*. International Journal of Wireless Information Networks, Vol. 9, No. 3, July 2002.

More information: www.ekahau.com



Joint probability of a HMM

- Joint probability like in Bayesian network
 - HMM is a Bayesian network!

$$P(X_0, X_1, E_1, X_2, E_2, \dots, X_t, E_t) = P(X_0) \prod_{i=1}^t P(X_i | X_{i-1}) P(E_i | X_i)$$

- Common inference tasks:
 - Filtering / monitoring: $P(X_t | e_{1:t})$
 - Prediction: $P(X_{t+k} | e_{1:t})$, $k > 0$
 - Smoothing: $P(X_k | e_{1:t})$, $k < t$
 - Explanation: $P(X_{1:t} | e_{1:t})$

Calculating $P(X_t | e_{1:t})$ in HMM

- Lets shoot for a recursive formula:

$$\begin{aligned} P(X_{t+1} | e_{1:t+1}) &= P(X_{t+1} | e_{t+1}, e_{1:t}) \\ &\propto P(e_{t+1} | X_{t+1}, e_{1:t}) P(X_{t+1} | e_{1:t}) \\ &= P(e_{t+1} | X_{t+1}) \underline{P(X_{t+1} | e_{1:t})} \end{aligned}$$

- and

$$\begin{aligned} P(X_{t+1} | e_{1:t}) &= \sum_{x_t} P(X_{t+1}, x_t | e_{1:t}) \\ &= \sum_{x_t} P(X_{t+1} | x_t, e_{1:t}) P(X_t | e_{1:t}) \\ &= \sum_{x_t} P(X_{t+1} | x_t) \underline{P(x_t | e_{1:t})} \end{aligned}$$

Forward algorithm for $P(X_t | e_{1:t})$

- Combining formulas we get a recursion

$$P(X_{t+1}|e_{1:t+1}) \propto P(e_{t+1}|X_{t+1}) \sum_{x_t} P(X_{t+1}|x_t) \underline{P(x_t|e_{1:t})}$$

- So first calculate

$$P(X_1|e_1) \propto P(e_1|X_1) \sum_{x_0} P(X_1|x_0) P(x_0)$$

- and then

$$P(X_2|e_1, e_2) \propto P(e_2|X_2) \sum_{x_1} P(X_2|x_1) P(x_1|e_1)$$

$$P(X_3|e_1, e_2, e_3) \propto P(e_3|X_3) \sum_{x_2} P(X_3|x_2) P(x_2|e_1, e_2)$$

Prediction: $P(X_{t+k} | e_{1:t}), k > 0$

- $P(X_{t+1} | e_{1:t})$ part of the forward algorithm
- and from that on evidence does not count, and one can just calculate forward:

$$\begin{aligned} P(X_{t+2} | e_{1:t}) &= \sum_{x_{t+1}} P(X_{t+2} | x_{t+1}, e_{1:t}) P(x_{t+1} | e_{1:t}) \\ &= \sum_{x_{t+1}} P(X_{t+2} | x_{t+1}) P(x_{t+1} | e_{1:t}) \end{aligned}$$

$$\begin{aligned} P(X_{t+3} | e_{1:t}) &= \sum_{x_{t+2}} P(X_{t+3} | x_{t+2}, e_{1:t}) P(x_{t+2} | e_{1:t}) \\ &= \sum_{x_{t+2}} P(X_{t+3} | x_{t+2}) P(x_{t+2} | e_{1:t}) \end{aligned}$$

Smoothing: $P(X_k | e_{1:t}), k < t$

- Obvious move: divide $e_{1:t}$ to $e_{1:k}$ and $e_{k+1:t}$.

$$\begin{aligned} P(X_k | e_{1:t}) &= P(X_k | e_{1:k}, e_{k+1:t}) \\ &\propto P(X_k | e_{1:k}) P(e_{k+1:t} | X_k, e_{1:k}) \\ &= P(X_k | e_{1:k}) \underline{P(e_{k+1:t} | X_k)} \end{aligned}$$

$$\begin{aligned} P(e_{k+1:t} | X_k) &= \sum_{x_{k+1}} P(x_{k+1}, e_{k+1:t} | X_k) \\ &= \sum_{x_{k+1}} P(x_{k+1} | X_k) P(e_{k+1:t} | x_{k+1}, X_k) \\ &= \sum_{x_{k+1}} P(x_{k+1} | X_k) P(e_{k+1}, e_{k+2:t} | x_{k+1}) \\ &= \sum_{x_{k+1}} P(x_{k+1} | X_k) P(e_{k+1} | x_{k+1}) \underline{P(e_{k+2:t} | x_{k+1})} \end{aligned}$$

- and the first (last) step:

$$\begin{aligned} P(e_t | X_{t-1}) &= \sum_{x_t} P(x_t, e_t | X_{t-1}) = \sum_{x_t} P(e_t | x_t, X_{t-1}) P(x_t | X_{t-1}) \\ &= \sum_{x_t} P(e_t | x_t) P(x_t | X_{t-1}) \end{aligned}$$

...and finally:

$$\begin{aligned} P(e_{k+1:t}|X_k) &= \sum_{x_{k+1}} P(x_{k+1}, e_{k+1:t}|X_k) \\ &= \sum_{x_{k+1}} P(x_{k+1}|X_k) P(e_{k+1:t}|x_{k+1}, X_k) \\ &= \sum_{x_{k+1}} P(x_{k+1}|X_k) P(e_{k+1}, e_{k+2:t}|x_{k+1}) \\ &= \sum_{x_{k+1}} P(x_{k+1}|X_k) P(e_{k+1}|x_{k+1}) P(e_{k+2:t}|x_{k+1}) \end{aligned}$$

- Smoothing the whole sequence takes $O(t^2)$ time
- Forward-backward algorithm: $O(t)$
- Finding the most probable sequence works in the same manner (the **Viterbi algorithm** / Viterbi path)

The Viterbi algorithm

- Want to compute:

$$\begin{aligned} & \max_{X_1, \dots, X_n} P(X_1, \dots, X_n | e_1, \dots, e_n) \\ &= \max_{X_n} \max_{X_1, \dots, X_{n-1}} P(X_1, \dots, X_{n-1}, X_n, e_1, \dots, e_n) \end{aligned}$$

- Recursion:


$$\begin{aligned} & \max_{X_1, \dots, X_{n-1}} P(X_1, \dots, X_{n-1}, X_n | e_1, \dots, e_n) = \max_{X_1, \dots, X_{n-1}} P(X_1, \dots, X_{n-1}, X_n, e_1, \dots, e_n) \\ &= \max_{X_1, \dots, X_{n-1}} P(e_n | X_n, X_1, \dots, X_{n-1}, e_1, \dots, e_{n-1}) P(X_n, X_1, \dots, X_{n-1}, e_1, \dots, e_{n-1}) \\ &= \max_{X_1, \dots, X_{n-1}} P(e_n | X_n) P(X_n | X_1, \dots, X_{n-1}, e_1, \dots, e_{n-1}) P(X_1, \dots, X_{n-1}, e_1, \dots, e_{n-1}) \\ &= P(e_n | X_n) \max_{X_{n-1}} P(X_n | X_{n-1}) \max_{X_1, \dots, X_{n-2}} P(X_1, \dots, X_{n-2}, X_{n-1} | e_1, \dots, e_{n-1}) \end{aligned}$$

- More:


- see e.g. Russel & Norvig, Chapter 15.2.

Exact inference in singly-connected BNs

- a singly connected BN = polytree (disregarding the arc directions, no two nodes can be connected with more than one path).




singly-connected



multi-connected

Probabilistic reasoning in singly-connected BNs



$$P(X|E) \propto P(X, E_+, E_-) \propto P(E_-|X) P(X|E_+)$$

$$P(E_-|X) = \prod_Y P(E_{Y_-}|X)$$


$$P(E_{Y_-}|X) = \sum_Y P(E_{Y_-}|Y) P(Y|X)$$

$$P(X|E_+) = \sum_Z P(X|Z) P(Z|E_{Z_+})$$


- a computationally efficient message-passing scheme: time requirement linear in the number of conditional probabilities in Θ .

Probabilistic reasoning in multi-connected BNs

- generally not computationally feasible as the problem has been shown to be NP-hard (Cooper 1990, Shimony 1994).
- exact methods:
 - clustering
 - conditioning
 - variable elimination
- approximative methods:
 - stochastic sampling algorithms
 - loopy belief propagation



Variable elimination: a simple example



$$\begin{aligned} P(D) &= \sum_{A, B, C} P(A, B, C, D) \\ &= \sum_C \sum_B \sum_A P(A) P(B|A) P(C|B) P(D|C) \\ &= \sum_C \sum_B P(C|B) P(D|C) \sum_A P(A) P(B|A) \\ &= \sum_C P(D|C) \sum_B P(C|B) \sum_A P(A) P(B|A) \end{aligned}$$

Approximate inference in Bayesian networks

- How to estimate how probably it rains next day, if the previous night temperature is above the month average?
 - count rainy and non rainy days after warm nights (and count relative frequencies).
- Rejection sampling for $P(\mathbf{X}|\mathbf{e})$:
 1. Generate random vectors $(\mathbf{x}_r, \mathbf{e}_r, \mathbf{y}_r)$.
 2. Discard those those that do not match \mathbf{e} .
 3. Count frequencies of different \mathbf{x}_r and normalize.

Rejection sampling, bad news

- Good news first:
 - super easy to implement
- Bad news:
 - if evidence \mathbf{e} is improbable, generated random vectors seldom conform with \mathbf{e} , thus it takes a long time before we get a good estimate $P(\mathbf{X}|\mathbf{e})$.
 - With long \mathbf{E} , all \mathbf{e} are improbable.
- So called likelihood weighting can alleviate the problem a little bit, but not enough.

Gibbs sampling

- Given a Bayesian network for n variables $\mathbf{X} \cup \mathbf{E} \cup \mathbf{Y}$, calculate $P(\mathbf{X}|\mathbf{e})$ as follows:

`N = (associative) array of zeros`

`Generate random vector \mathbf{x}, \mathbf{y} .`

`While True:`

`for V in X,Y:`

`generate v from $P(V \mid \text{MarkovBlanket}(V))$`

`replace v in \mathbf{x}, \mathbf{y} .`

`$N[\mathbf{x}] += 1$`

`print normalize($N[\mathbf{x}]$)`

$P(X | mb(X)) ?$

$$P(X|mb(X))$$

$$= P(X|mb(x), Rest)$$

$$= \frac{P(X, mb(X), Rest)}{P(mb(X), Rest)}$$

$$\propto P(All)$$

$$= \prod_{X_i \in X} P(X_i | Pa(X_i))$$

$$= P(X | Pa(X)) \prod_{C \in ch(X)} P(C | Pa(C)) \prod_{R \in Rest \cup Pa(V)} P(R | Pa(R))$$

$$\propto P(X | Pa(X)) \prod_{C \in ch(X)} P(C | Pa(C))$$

Why does it work

- All decent Markov Chains q have a unique stationary distribution P^* that can be estimated by simulation.
- Detailed balance of transition function q and state distribution P^* implies stationarity of P^* .
- Proposed q , $P(V|mb(V))$, and $P(\mathbf{X}|\mathbf{e})$ form a detailed balance, thus $P(\mathbf{X}|\mathbf{e})$ is a stationary distribution, so it can be estimated by simulation.

Markov chains

stationary distribution

- Defined by transition probabilities $q(x \rightarrow x')$ between states, where x and x' belong to a set of states X .
- Distribution P^* over X is called stationary distribution for the Markov Chain q , if
$$P^*(x') = \sum_x P^*(x)q(x \rightarrow x').$$
- $P^*(X)$ can be found out by simulating Markov Chain q starting from the random state x_r .

Markov Chain detailed balance

- Distribution P over X and a state transition distribution q are said to form a detailed balance, if for any states x and x' , $P(x)q(x \rightarrow x') = P(x')q(x' \rightarrow x)$, i.e. it is equally probable to witness transition from x to x' as it is to witness transition from x' to x .
- If P and q form a detailed balance, $\sum_x P(x)q(x \rightarrow x') = \sum_x P(x')q(x' \rightarrow x) = P(x')\sum_x q(x' \rightarrow x) = P(x')$, thus P is stationary.

Gibbs sampler as Markov Chain

- Consider $\mathbf{Z}=(\mathbf{X}, \mathbf{Y})$ to be states of a Markov chain, and $q((v, \mathbf{z}_{-v})) \rightarrow (v', \mathbf{z}_{-v}) = P(v' | \mathbf{z}_{-v}, \mathbf{e})$, where $\mathbf{z}_{-v} = \mathbf{Z} - \{V\}$. Now $P^*(\mathbf{Z}) = P(\mathbf{Z} | \mathbf{e})$ and q form a detailed balance, thus P^* is a stationary distribution of q and it can be found with the sampling algorithm.

$$\begin{aligned} - P^*(\mathbf{z})q(\mathbf{z} \rightarrow \mathbf{z}') &= P(\mathbf{z} | \mathbf{e})P(v' | \mathbf{z}_{-v}, \mathbf{e}) \\ &= P(v, \mathbf{z}_{-v} | \mathbf{e})P(v' | \mathbf{z}_{-v}, \mathbf{e}) \\ &= P(v | \mathbf{z}_{-v}, \mathbf{e})P(\mathbf{z}_{-v} | \mathbf{e})P(v' | \mathbf{z}_{-v}, \mathbf{e}) \\ &= P(v | \mathbf{z}_{-v}, \mathbf{e})P(v', \mathbf{z}_{-v} | \mathbf{e}) = q(\mathbf{z}' \rightarrow \mathbf{z})P^*(\mathbf{z}'), \text{ thus balance.} \end{aligned}$$

So let us play.....

B-Course [home](#) | [library](#) | [feedback](#)

Welcome to B-Course

B-Course is a web-based interactive tutorial on Bayesian modeling, in particular dependence modeling. However, it is more than just a tutorial. It is also a free data analysis tool that makes it possible for you to use your own data as example data for the tutorial. Consequently B-Course can be used as an analysis tool for any research where dependence modeling based on data is of interest. B-Course can be freely used for educational and research purposes only. ([Disclaimer](#))



B-Course facilities

B-Course will guide you through the trail of dependency modeling. You will learn about Bayesian modeling and inference using your own data as an example. In case you do not (yet) have any data sets to analyze, you can take a look on a model we have prepared, or you can select among public data sets provided in B-Course material and use the selected data as your example.

Along the trail you will find references to the B-Course library for more detailed information. We advise you to study those texts, because they are vital for truly understanding what is going on in the analysis. When you familiarize yourself with the background information, you can use B-Course as any other software tool to help you in the analysis of your data. If you publish the results, we as the designers of B-Course would appreciate that you acknowledge that the results were obtained by using B-Course.

» [Read about the goals of B-Course](#)

[Begin dependence modeling](#)