

Algorithm 4.15: Backward Search

Input: array C , function $rank_L$, pattern P

Output: suffix array range $[b..e)$ containing starting positions of P

- (1) $b \leftarrow 0; e \leftarrow n + 1$
- (2) for $i \leftarrow m - 1$ downto 0 do
- (3) $c \leftarrow P[i]$
- (4) $b \leftarrow C[c] + rank_L(c, b)$
- (5) $e \leftarrow C[c] + rank_L(c, e)$
- (6) return $[b..e)$

- The array C requires an integer alphabet that is not too large.
- The trivial implementation of the function $rank_L$ as an array requires $\Theta(\sigma n)$ space, which is often too much. There are much more space efficient (but slower) implementations. There are even implementations with a size that is close to the size of the compressed text. Such an implementation is the key component in many compressed text indexes. These are covered in the course [Data Compression Techniques](#).

201

The idea is to compute the lcp values by comparing the suffixes, but skip a prefix based on a known lower bound for the lcp value obtained using the following result.

Lemma 4.17: For any $j \in [1..n)$, $PLCP[j] \geq PLCP[j - 1] - 1$

Proof.

- Let $\ell = PLCP[j - 1]$ and $\ell' = LCP[j]$. We want to show that $\ell' \geq \ell - 1$. If $\ell = 0$, the claim is trivially true.
- If $\ell > 0$, then for some symbol c , $T_{j-1} = cT_j$ and $T_{\Phi[j-1]} = cT_{\Phi[j-1]+1}$. Thus $T_{\Phi[j-1]+1} < T_j$ and $lcp(T_j, T_{\Phi[j-1]+1}) = lcp(T_{j-1}, T_{\Phi[j-1]}) - 1 = \ell - 1$.
- If $\Phi[j] = \Phi[j - 1] + 1$, then $\ell' = lcp(T_j, T_{\Phi[j]}) = lcp(T_j, T_{\Phi[j-1]+1}) = \ell - 1$.
- If $\Phi[j] \neq \Phi[j - 1] + 1$, then $T_{\Phi[j-1]+1} < T_{\Phi[j]} < T_j$ because $T_{\Phi[j]}$ is the immediate lexicographical predecessor of T_j . Thus $\ell' = lcp(T_j, T_{\Phi[j]}) \geq lcp(T_j, T_{\Phi[j-1]+1}) = \ell - 1$. □

203

Suffix Array Construction

Suffix array construction means simply sorting the set of all suffixes.

- Using standard sorting or string sorting the time complexity is $\Omega(\sum LCP(T_{[0..n]}))$.
- Another possibility is to first construct the suffix tree and then traverse it from left to right to collect the suffixes in lexicographical order. The time complexity is $\mathcal{O}(n)$ on a constant alphabet.

Specialized suffix array construction algorithms are a better option, though.

205

We still need to specify, how to use the order for the set $T_{[0..n]}^\ell$ to sort the set $T_{[0..n]}^{2\ell}$. The key idea is assigning **order preserving names** (lexicographical names) for the factors in $T_{[0..n]}^\ell$. For $i \in [0..n]$, let N_i^ℓ be an integer in the range $[0..n]$ such that, for all $i, j \in [0..n]$:

$$N_i^\ell \leq N_j^\ell \text{ if and only if } T_i^\ell \leq T_j^\ell.$$

Then, for $\ell > n$, $N_i^\ell = SA^{-1}[i]$.

For smaller values of ℓ , there can be many ways of satisfying the conditions and any one of them will do. A simple choice is

$$N_i^\ell = |\{j \in [0, n] \mid T_j^\ell < T_i^\ell\}|.$$

Example 4.19: Prefix doubling for $T = \text{banana}\$$.

N^1	N^2	N^4	$N^8 = SA^{-1}$
4 b	4 ba	4 bana	4 banana\$
1 a	2 an	3 anan	3 anana\$
5 n	5 na	6 nana	6 nana\$
1 a	2 an	2 ana\$	2 ana\$
5 n	5 na	5 na\$	5 na\$
1 a	1 a\$	1 a\$	1 a\$
0 \$	0 \$	0 \$	0 \$

207

LCP Array Construction

The LCP array is easy to compute in linear time from the suffix array with the help of a couple of additional arrays:

- For each $i \in [1..n]$, let $\Phi[SA[i]] = SA[i - 1]$. Then the suffix $T_{\Phi[j]}$ is the immediate lexicographical predecessor of the suffix T_j .
- For each $i \in [1..n]$, let $PLCP[SA[i]] = LCP[i]$. Then $PLCP[j] = LCP[SA^{-1}[j]] = lcp(T_j, T_{\Phi[j]})$, i.e., $PLCP[j]$ is the lcp between T_j and its lexicographical predecessor.

Example 4.16: $T = \text{banana}\$$.

i	$SA[i]$	$LCP[i]$	$T_{SA[i]}$	j	$SA^{-1}[j]$	$\Phi[j]$	$PLCP[j]$	T_j
0	6		\$	0	4	1	0	banana\$
1	5	0	a\$	1	3	3	3	anana\$
2	3	1	ana\$	2	6	4	2	nana\$
3	1	3	anana\$	3	2	5	1	ana\$
4	0	0	banana\$	4	5	0	0	na\$
5	4	0	na\$	5	1	6	0	a\$
6	2	2	nana\$	6	0			\$

202

The algorithm computes first Φ then $PLCP$ and finally LCP . The computation of $PLCP$ takes advantage of the above lemma.

Algorithm 4.18: LCP array construction

Input: text $T[0..n]$, suffix array $SA[0..n]$, inverse suffix array $SA^{-1}[0..n]$

Output: LCP array $LCP[1..n]$

- (1) for $i \in [1..n]$ do $\Phi[SA[i]] \leftarrow SA[i - 1]$
- (2) $\ell \leftarrow 0$
- (3) for $j \leftarrow 0$ to $n - 1$ do
- (4) while $T[j + \ell] = T[\Phi[j] + \ell]$ do $\ell \leftarrow \ell + 1$
- (5) $PLCP[j] \leftarrow \ell$
- (6) if $\ell > 0$ then $\ell \leftarrow \ell - 1$
- (7) for $i \in [1..n]$ do $LCP[i] \leftarrow PLCP[SA[i]]$
- (8) return LCP

The time complexity is $\mathcal{O}(n)$:

- Everything except the while loop on line (4) takes clearly linear time.
- Each round in the loop increments ℓ . Since ℓ is decremented at most n times on line (6) and cannot grow larger than n , the loop is executed $\mathcal{O}(n)$ times in total.

204

Prefix Doubling

Our first specialized suffix array construction algorithm is a conceptually simple algorithm achieving $\mathcal{O}(n \log n)$ time.

Let T_i^ℓ denote the text factor $T[i.. \min\{i + \ell, n + 1\})$ and call it an ℓ -factor. In other words:

- T_i^ℓ is the factor starting at i and of length ℓ except when the factor is cut short by the end of the text.
- T_i^ℓ is the **prefix** of the suffix T_i of length ℓ , or T_i when $|T_i| < \ell$.

The idea is to sort the sets $T_{[0..n]}^\ell$ for ever increasing values of ℓ .

- First sort $T_{[0..n]}^1$, which is equivalent to sorting individual characters. This can be done in $\mathcal{O}(n \log n)$ time.
- Then, for $\ell = 1, 2, 4, 8, \dots$, use the sorted set $T_{[0..n]}^\ell$ to sort the set $T_{[0..n]}^{2\ell}$ in $\mathcal{O}(n)$ time.
- After $\mathcal{O}(\log n)$ rounds, $\ell > n$ and $T_{[0..n]}^\ell = T_{[0..n]}$, so we have sorted the set of all suffixes.

206

Now, given N^ℓ , for the purpose of sorting, we can use

- N_i^ℓ to represent T_i^ℓ
- the pair $(N_i^\ell, N_{i+\ell}^\ell)$ to represent $T_i^{2\ell} = T_i^\ell T_{i+\ell}^\ell$.

Thus we can sort $T_{[0..n]}^{2\ell}$ by sorting pairs of integers, which can be done in $\mathcal{O}(n)$ time using LSD radix sort.

Theorem 4.20: The suffix array of a string $T[0..n]$ can be constructed in $\mathcal{O}(n \log n)$ time using prefix doubling.

- The technique of assigning order preserving names to factors whose lengths are powers of two is called the **Karp–Miller–Rosenberg naming technique**. It was developed for other purposes in the early seventies when suffix arrays did not exist yet.
- The best practical variant is the **Larsson–Sadakane algorithm**, which uses ternary quicksort instead of LSD radix sort for sorting the pairs, but still achieves $\mathcal{O}(n \log n)$ total time.

208

Let us return to the first phase of the prefix doubling algorithm: assigning names N_i^1 to individual characters. This is done by sorting the characters, which is easily within the time bound $\mathcal{O}(n \log n)$, but sometimes we can do it faster:

- On a general alphabet, we can use ternary quicksort for time complexity $\mathcal{O}(n \log \sigma_T)$ where σ_T is the number of distinct symbols in T .
- On an integer alphabet of size n^c for any constant c , we can use LSD radix sort with radix n for time complexity $\mathcal{O}(n)$.

After this, we can replace each character $T[i]$ with N_i^1 to obtain a new string T' :

- The characters of T' are integers in the range $[0..n]$.
- The character $T'[n] = 0$ is the unique, smallest symbol, i.e., $\$$.
- The suffix arrays of T and T' are **exactly the same**.

Thus we can construct the suffix array using T' as the text instead of T .

As we will see next, the suffix array of T' can be constructed in linear time. Then **sorting the characters** of T to obtain T' is the asymptotically **most expensive operation** in the suffix array construction of T for any alphabet.

209

Assume that

- $|C| \leq \alpha n$ for a constant $\alpha < 1$, and
- excluding the recursive call, all steps in the algorithm take linear time.

Then the total time complexity can be expressed as the recurrence $t(n) = \mathcal{O}(n) + t(\alpha n)$, whose solution is $t(n) = \mathcal{O}(n)$.

To make the scheme work, the set C must satisfy two nontrivial conditions:

1. There exists an appropriate reduced string R .
2. Given sorted T_C the suffix array of T is easy to construct.

Finding sets C that satisfy both conditions is difficult, but there are two different methods leading to two different algorithms:

- DC3 uses difference cover sampling
- SAIS uses induced sorting

211

A **difference cover sample** is a set T_C of suffixes, where

$$C = \{i \in [0..n] \mid (i \bmod q) \in D_q\}.$$

Example 4.22: If $T = \text{banana}\$$ and $D_3 = \{1, 2\}$, then $C = \{1, 2, 4, 5\}$ and $T_C = \{\text{anana}\$, \text{nana}\$, \text{na}\$, \text{a}\$\}$.

Once we have sorted the difference cover sample T_C , we can compare any two suffixes in $\mathcal{O}(q)$ time. To compare suffixes T_i and T_j :

- If $i \in C$ and $j \in C$, then we already know their order from T_C .
- Otherwise, find ℓ such that $i + \ell \in C$ and $j + \ell \in C$. There always exists such $\ell \in [0..q)$. Then compare:

$$\begin{aligned} T_i &= T[i..i + \ell)T_{i+\ell} \\ T_j &= T[j..j + \ell)T_{j+\ell} \end{aligned}$$

That is, compare first $T[i..i + \ell)$ to $T[j..j + \ell)$, and if they are the same, then $T_{i+\ell}$ to $T_{j+\ell}$ using the sorted T_C .

Example 4.23: $D_3 = \{1, 2\}$ and $C = \{1, 2, 4, 5, \dots\}$

$$\begin{aligned} T_0 &= T[0]T_1 & T_1 &= T[0]T[1]T_2 & T_2 &= T[0]T_1 \\ T_1 &= T[1]T_2 & T_2 &= T[2]T[3]T_4 & T_3 &= T[3]T_4 \end{aligned}$$

213

Step 1: Sort T_C .

- For $k \in \{1, 2\}$, Construct the strings $R_k = (T_k^3, T_{k+3}^3, T_{k+6}^3, \dots, T_{\max C_k}^3)$ whose characters are 3-factors of the text, and let $R = R_1R_2$.
- Replace each factor T_i^3 in R with an order preserving name $N_i^3 \in [1..|R|]$. The names can be computed by sorting the factors with LSD radix sort in $\mathcal{O}(n)$ time. Let R' be the result appended with 0.
- Construct the inverse suffix array $SA_{R'}^{-1}$ of R' . This is done recursively using DC3 unless all symbols in R' are unique, in which case $SA_{R'}^{-1} = R'$.
- From $SA_{R'}^{-1}$, we get order preserving names for suffixes in T_C . For $i \in C$, let $N_i = SA_{R'}^{-1}[j]$, where j is the position of T_i^3 in R . For $i \in \bar{C}$, let $N_i = \perp$. Also let $N_{n+1} = N_{n+2} = 0$.

Example 4.26:

	R	abb	ada	bba	do\$	bba	dab	bad	o\$						
	R'	1	2	4	7	4	6	3	8	0					
	$SA_{R'}^{-1}$	1	2	5	7	4	6	3	8	0					
i	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
$T[i]$	y	a	b	b	a	d	a	b	b	a	d	o	\$		
N_i	\perp	1	4	\perp	2	6	\perp	5	3	\perp	7	8	\perp	0	0

215

Recursive Suffix Array Construction

Let us now describe linear time algorithms for suffix array construction. We assume that the alphabet of the text $T[0..n]$ is $[1..n]$ and that $T[n] = 0$ ($=\$$ in the examples).

The outline of the algorithms is:

0. Choose a subset $C \subset [0..n]$.
1. Sort the set T_C . This is done as follows:
 - (a) Construct a **reduced string** R of length $|C|$, whose characters are order preserving names of text factors starting at the positions in C .
 - (b) Construct the suffix array of R **recursively**.
2. Sort the set $T_{[0..n]}$ using the order of T_C .

210

Difference Cover Sampling

A difference cover D_q modulo q is a subset of $[0..q)$ such that all values in $[0..q)$ can be expressed as a difference of two elements in D_q modulo q . In other words:

$$[0..q) = \{i - j \bmod q \mid i, j \in D_q\}.$$

Example 4.21: $D_7 = \{1, 2, 4\}$

$$\begin{aligned} 1 - 1 &= 0 & 1 - 4 &= -3 \equiv 4 \pmod{7} \\ 2 - 1 &= 1 & 2 - 4 &= -2 \equiv 5 \pmod{7} \\ 4 - 2 &= 2 & 1 - 2 &= -1 \equiv 6 \pmod{7} \\ 4 - 1 &= 3 & & \end{aligned}$$

In general, we want the smallest possible difference cover for a given q .

- For any q , there exist a difference cover D_q of size $\mathcal{O}(\sqrt{q})$.
- The DC3 algorithm uses the simplest non-trivial difference cover $D_3 = \{1, 2\}$.

212

Algorithm 4.24: DC3

Step 0: Choose C .

- Use difference cover $D_3 = \{1, 2\}$.
- For $k \in \{0, 1, 2\}$, define $C_k = \{i \in [0..n] \mid i \bmod 3 = k\}$.
- Let $C = C_1 \cup C_2$ and $\bar{C} = C_0$.

Example 4.25:

i	0	1	2	3	4	5	6	7	8	9	10	11	12
$T[i]$	y	a	b	b	a	d	a	b	b	a	d	o	\$

$\bar{C} = C_0 = \{0, 3, 6, 9, 12\}$, $C_1 = \{1, 4, 7, 10\}$, $C_2 = \{2, 5, 8, 11\}$ and $C = \{1, 2, 4, 5, 7, 8, 10, 11\}$.

214

Step 2(a): Sort $T_{\bar{C}}$.

- For each $i \in \bar{C}$, we represent T_i with the pair $(T[i], N_{i+1})$. Then $T_i \leq T_j \iff (T[i], N_{i+1}) \leq (T[j], N_{j+1})$. Note that $N_{i+1} \neq \perp$ for all $i \in \bar{C}$.
- The pairs $(T[i], N_{i+1})$ are sorted by LSD radix sort in $\mathcal{O}(n)$ time.

Example 4.27:

i	0	1	2	3	4	5	6	7	8	9	10	11	12
$T[i]$	y	a	b	b	a	d	a	b	b	a	d	o	\$
N_i	\perp	1	4	\perp	2	6	\perp	5	3	\perp	7	8	\perp

$T_{12} < T_6 < T_9 < T_3 < T_0$ because $(\$, 0) < (a, 5) < (a, 7) < (b, 2) < (y, 1)$.

216

Step 2(b): Merge T_C and $T_{\bar{C}}$.

- Use comparison based merging algorithm needing $\mathcal{O}(n)$ comparisons.
- To compare $T_i \in T_C$ and $T_j \in T_{\bar{C}}$, we have two cases:

$$i \in C_1 : T_i \leq T_j \iff (T[i], N_{i+1}) \leq (T[j], N_{j+1})$$

$$i \in C_2 : T_i \leq T_j \iff (T[i], T[i+1], N_{i+2}) \leq (T[j], T[j+1], N_{j+2})$$

Note that none of the N -values is \perp .

Example 4.28:

i	0	1	2	3	4	5	6	7	8	9	10	11	12
$T[i]$	y	a	b	b	a	d	a	b	b	a	d	o	\$
N_i	\perp	1	4	\perp	2	6	\perp	5	3	\perp	7	8	\perp

$T_1 < T_6$ because $(a, 4) < (a, 5)$.
 $T_3 < T_8$ because $(b, a, 6) < (b, a, 7)$.

217

Induced Sorting

Define three type of suffixes $-$, $+$ and $*$ as follows:

$$C^- = \{i \in [0..n] \mid T_i > T_{i+1}\}$$

$$C^+ = \{i \in [0..n] \mid T_i < T_{i+1}\}$$

$$C^* = \{i \in C^+ \mid i-1 \in C^-\}$$

Example 4.30:

i	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
$T[i]$	m	m	i	s	s	i	s	s	i	i	p	p	i	i	\$
type of T_i	-	-	*	-	-	*	-	-	*	+	-	-	-	-	-

For every $a \in \Sigma$ and $x \in \{-, +, *\}$ define

$$C_a = \{i \in [0..n] \mid T[i] = a\}$$

$$C_a^x = C_a \cap C^x$$

Then

$$C_a^- = \{i \in C_a \mid T_i < a^\infty\}$$

$$C_a^+ = \{i \in C_a \mid T_i > a^\infty\}$$

and thus, if $i \in C_a^-$ and $j \in C_a^+$, then $T_i < T_j$. Hence the suffix array is $nC_1C_2 \dots C_{\sigma-1} = nC_1^-C_1^+C_2^-C_2^+ \dots C_{\sigma-1}^-C_{\sigma-1}^+$.

219

To induce C^- suffixes:

1. Set C_a^- empty for all $a \in [1..\sigma)$.
2. For all suffixes T_i such that $i-1 \in C^-$ in **lexicographical order**, append $i-1$ into $C_{T[i-1]}^-$.

By Lemma 4.25(a), Step 2 can be done by checking the relevant conditions for all $i \in nC_1^-C_1^+C_2^-C_2^+ \dots$.

Algorithm 4.32: InduceMinusSuffixes

Input: Lexicographically sorted lists C_a^* , $a \in \Sigma$

Output: Lexicographically sorted lists C_a^- , $a \in \Sigma$

- (1) for $a \in \Sigma$ do $C_a^- \leftarrow \emptyset$
- (2) $pushback(n-1, C_{T[n-1]}^-)$
- (3) for $a \leftarrow 1$ to $\sigma-1$ do
- (4) for $i \in C_a^-$ do // include elements added during the loop
- (5) if $i > 0$ and $T[i-1] \geq a$ then $pushback(i-1, C_{T[i-1]}^-)$
- (6) for $i \in C_a^*$ do $pushback(i-1, C_{T[i-1]}^-)$

Note that since $T_{i-1} > T_i$ by definition of C^- , we always have i inserted before $i-1$.

221

We still need to explain how to sort the $*$ -type suffixes. Define

$$F[i] = \min\{k \in [i+1..n] \mid k \in C^* \text{ or } k = n\}$$

$$S_i = T[i..F[i]]$$

$$S'_i = S_i\sigma$$

where σ is a special symbol larger than any other symbol.

Lemma 4.34: For any $i, j \in [0..n]$, $T_i < T_j$ iff $S'_i < S'_j$ or $S'_i = S'_j$ and $T_{F[i]} < T_{F[j]}$.

Proof. The claim is trivially true except in the case that S_j is a proper prefix of S_i (or vice versa). In that case, $S_i > S_j$ but $S'_i < S'_j$ and thus $T_i < T_j$ by the claim. We will show that this is correct.

Let $\ell = F[j]$ and $k = i + \ell - j$. Then

- $\ell \in C^*$ and thus $\ell-1 \in C^-$. By Lemma 4.25(b), $T[\ell-1] > T[\ell]$.
- $T[k-1..k] = T[\ell-1..\ell]$ and thus $T[k-1] > T[k]$. If we had $k \in C^+$, we would have $k \in C^*$. Since this is not the case, we must have $k \in C^-$.
- Let $a = T[\ell]$. Since $\ell \in C_a^+$ and $k \in C_a^-$, we must have $T_k < a^\infty < T_\ell$.
- Since $T[i..k] = T[j..\ell]$ and $T_k < T_\ell$, we have $T_i < T_j$. \square

223

Theorem 4.29: Algorithm DC3 constructs the suffix array of a string $T[0..n)$ in $\mathcal{O}(n)$ time plus the time needed to sort the characters of T .

There are many variants:

- DC3 is an optimal algorithm under several parallel and external memory computation models, too. There exists both parallel and external memory implementations of DC3.
- Using a larger value of q , we obtain more space efficient algorithms. For example, using $q = \log n$, the time complexity is $\mathcal{O}(n \log n)$ and the space needed in addition to the text and the suffix array is $\mathcal{O}(n/\sqrt{\log n})$.

218

The basic idea of induced sorting is to use information about the order of T_i to **induce** the order of the suffix $T_{i-1} = T[i-1]T_i$. The main steps are:

1. Sort the sets C_a^* , $a \in [1..\sigma)$.
2. Use C_a^* , $a \in [1..\sigma)$, to induce the order of the sets C_a^- , $a \in [1..\sigma)$.
3. Use C_a^- , $a \in [1..\sigma)$, to induce the order of the sets C_a^+ , $a \in [1..\sigma)$.

The suffixes involved in the induction steps can be identified using the following rules (proof is left as an exercise).

Lemma 4.31: For all $a \in [1..\sigma)$

- (a) $i-1 \in C_a^-$ iff $i > 0$ and $T[i-1] = a$ and one of the following holds
 1. $i = n$
 2. $i \in C^*$
 3. $i \in C^-$ and $T[i-1] \geq T[i]$.
- (b) $i-1 \in C_a^+$ iff $i > 0$ and $T[i-1] = a$ and one of the following holds
 1. $i \in C^-$ and $T[i-1] < T[i]$
 2. $i \in C^+$ and $T[i-1] \leq T[i]$.

220

Inducing $+$ -type suffixes goes similarly but in reverse order so that again i is always inserted before $i-1$:

1. Set C_a^+ empty for all $a \in [1..\sigma)$.
2. For all suffixes T_i such that $i-1 \in C^+$ in **descending** lexicographical order, append $i-1$ into $C_{T[i-1]}^+$.

Algorithm 4.33: InducePlusSuffixes

Input: Lexicographically sorted lists C_a^- , $a \in \Sigma$

Output: Lexicographically sorted lists C_a^+ , $a \in \Sigma$

- (1) for $a \in \Sigma$ do $C_a^+ \leftarrow \emptyset$
- (2) for $a \leftarrow \sigma-1$ downto 1 do
- (3) for $i \in C_a^-$ in reverse order do // include elements added during loop
- (4) if $i > 0$ and $T[i-1] \leq a$ then $pushfront(i-1, C_{T[i-1]}^+)$
- (5) for $i \in C_a^-$ in reverse order do
- (6) if $i > 0$ and $T[i-1] < a$ then $pushfront(i-1, C_{T[i-1]}^+)$

222

Algorithm 4.35: SAIS

Step 0: Choose C .

- Compute the types of suffixes. This can be done in $\mathcal{O}(n)$ time based on Lemma 4.25.
- Set $C = \cup_{a \in [1..\sigma)} C_a^* \cup \{n\}$. Note that $|C| \leq n/2$, since for all $i \in C$, $i-1 \in C^- \subseteq \bar{C}$.

Example 4.36:

i	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
$T[i]$	m	m	i	s	s	i	s	s	i	i	p	p	i	i	\$
type of T_i	-	-	*	-	-	*	-	-	*	+	-	-	-	-	-

$C_i^* = \{2, 5, 8\}$, $C_m^* = C_p^* = C_s^* = \emptyset$, $C = \{2, 5, 8, 14\}$.

224

Step 1: Sort T_C .

- Sort the strings S'_i , $i \in C^*$. Since the total length of the strings S'_i is $\mathcal{O}(n)$, the sorting can be done in $\mathcal{O}(n)$ time using LSD radix sort.
- Assign order preserving names $N_i \in [1..|C| - 1]$ to the string S'_i so that $N_i \leq N_j$ iff $S'_i \leq S'_j$.
- Construct the sequence $R = N_{i_1}N_{i_2} \dots N_{i_k}0$, where $i_1 < i_3 < \dots < i_k$ are the *-type positions.
- Construct the suffix array SA_R of R . This is done recursively unless all symbols in R are unique, in which case a simple counting sort is sufficient.
- The order of the suffixes of R corresponds to the order of *-type suffixes of T . Thus we can construct the lexicographically ordered lists C_a^* , $a \in [1..\sigma]$.

Example 4.37:

i	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
$T[i]$	m	m	i	s	s	i	s	s	i	i	p	p	i	i	\$
N_i			2			2			1						0

$R = [\text{issis}\sigma][\text{issis}\sigma][\text{iippii}\sigma] = 2210$, $SA_R = (3, 2, 1, 0)$, $C_i^* = (8, 5, 2)$

Step 2: Sort $T_{[0..n]}$.

- Run InduceMinusSuffixes to construct the sorted lists C_a^- , $a \in [1..\sigma]$.
- Run InducePlusSuffixes to construct the sorted lists C_a^+ , $a \in [1..\sigma]$.
- The suffix array is $SA = nC_1^-C_1^+C_2^-C_2^+ \dots C_{\sigma-1}^-C_{\sigma-1}^+$.

Example 4.38:

i	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
$T[i]$	m	m	i	s	s	i	s	s	i	i	p	p	i	i	\$
type of T_i	-	-	*	-	-	*	-	-	*	+	-	-	-	-	-

$n = 14 \Rightarrow C_i^- = (13, 12)$
 $C_i^-C_i^+ = (13, 12, 8, 5, 2) \Rightarrow C_m^- = (1, 0), C_p^- = (11, 10), C_s^- = (7, 4, 6, 3)$
 $\Rightarrow C_i^+ = (8, 9, 5, 2)$
 $\Rightarrow SA = C_s^-C_i^-C_i^+C_m^-C_p^-C_s^- = (14, 13, 12, 8, 9, 5, 2, 1, 0, 11, 10, 7, 4, 6, 3)$

Theorem 4.39: Algorithm SAIS constructs the suffix array of a string $T[0..n)$ in $\mathcal{O}(n)$ time plus the time needed to sort the characters of T .

- In Step 1, to sort the strings S'_i , $i \in C^*$, SAIS does not actually use LSD radix sort but the following procedure:
 1. Construct the sets C_a^* , $a \in [1..\sigma]$ **in arbitrary order**.
 2. Run InduceMinusSuffixes to construct the lists C_a^- , $a \in [1..\sigma]$.
 3. Run InducePlusSuffixes to construct the lists C_a^+ , $a \in [1..\sigma]$.
 4. Remove non-*-type positions from $C_1^+C_2^+ \dots C_{\sigma-1}^+$.

With this change, most of the work is done in the induction procedures. This is very fast in practice, because all the lists C_a^* are accessed **sequentially** during the procedures.

- The currently fastest suffix sorting implementation in practice is probably divsufsort by Yuta Mori. It sorts the *-type suffixes non-recursively in $\mathcal{O}(n \log n)$ time and then continues as SAIS.

Summary: Suffix Trees and Arrays

The most important data structures for string processing:

- Designed for **indexed exact string matching**.
- Used in efficient solutions to a huge variety of different problems.

Construction algorithms are among the most important algorithms for string processing:

- **Linear time** for constant and integer alphabet.

Often augmented with additional data structures:

- suffix links, LCA preprocessing
- LCP array, RMQ preprocessing, BWT, ...

More and more often suffix trees and arrays are replaced by **compressed text indexes**, often based on the BWT.